AK

	Application No.	Applicant(s)	110
Notice of Allowability			
	10/733,117 Examiner	NICKEL-JETTER ET AL.	
	Cxammer	Art Unit	
	Nguyen N. Hanh	2834	
The MAILING DATE of this communication appearance All claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIOF the Office or upon petition by the applicant. See 37 CFR 1.313	(OR REMAINS) CLOSED in or other appropriate commits application is and MPEP 1308.	n this application. If not included unication will be mailed in due course. <b>TH</b>	IIS tiative
1. A This communication is responsive to <u>Amendments filed on</u>	<u>11/10/2005</u> .		
2. ⊠ The allowed claim(s) is/are <u>1-12 and 15-26</u> .			
<ul> <li>3.  Acknowledgment is made of a claim for foreign priority ur</li> <li>a)  All b)  Some* c)  None of the:</li> <li>1.  Certified copies of the priority documents have</li> <li>2.  Certified copies of the priority documents have</li> </ul>	e been received.		
3. Copies of the certified copies of the priority do			10
International Bureau (PCT Rule 17.2(a)).	oumonio navo boom receive	a in this national stage application from th	16
* Certified copies not received:			
Applicant has THREE MONTHS FROM THE "MAILING DATE" noted below. Failure to timely comply will result in ABANDONM THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.	of this communication to file IENT of this application.	a reply complying with the requirements	
4. A SUBSTITUTE OATH OR DECLARATION must be subminFORMAL PATENT APPLICATION (PTO-152) which give	itted. Note the attached EX es reason(s) why the oath o	AMINER'S AMENDMENT or NOTICE OF declaration is deficient.	
5. CORRECTED DRAWINGS ( as "replacement sheets") must be submitted.			
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review ( PTO-948) attached			
1) 🗌 hereto or 2) 🔲 to Paper No./Mail Date			
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date			
Identifying indicia such as the application number (see 37 CFR 1. each sheet. Replacement sheet(s) should be labeled as such in the	.84(c)) should be written on t he header according to 37 CF	ne drawings in the front (not the back) of R 1.121(d).	
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.			
	,		
•			*
Attachment(s)			
1. Notice of References Cited (PTO-892)	5. Notice of In	formal Patent Application (PTO-152)	•
2. Notice of Draftperson's Patent Drawing Review (PTO-948)		ummary (PTO-413), Mail Date	
3. Information Disclosure Statements (PTO-1449 or PTO/SB/0 Paper No./Mail Date	8), 7. 🗌 Examiner's	Amendment/Comment	
Examiner's Comment Regarding Requirement for Deposit of Biological Material	8. 🛭 Examiner's	Statement of Reasons for Allowance	
- Or Diological Material	9. 🔲 Other	<u>.</u> .	
		·	

Application/Control Number: 10/733,117 Page 2

Art Unit: 2834

## **DETAILED ACTION**

#### Remarks

1. In view of amendments, the Examiner withdraws the objections to claims 16 and 23, the objections to the drawings and the rejection under 35 USC 102 (b) to clam 1. The cancellation of claims 13 and 14 has been acknowledged.

### Election/Restrictions

2. Claim 1 is generic and allowable. Accordingly, the restriction requirement as to the encompassed species is hereby withdrawn and claims 3-12, 18-21, 25 and 26 are rejoined as provided by 37 CFR 1.141.

# Allowable Subject Matter

- 3. Claims 1-12 and 15-26 are allowed.
- 4. The following is a statement of reasons for the indication of allowable subject matter: the prior art of record does not show an external rotor motor as described in claim 1 including a control magnet secured to the casing part, at least one galvanomagnetic rotor position sensor associated therewith, in order to sense the rotational position of the casing part relative to the support part and a nonmagnetic spacer arranged between the control magnet and the permanent magnet arrangement of the external rotor.

#### Conclusion

5. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Hanh N Nguyen whose telephone number is (571) 272-2031. The examiner can normally be reached on Monday through Friday.

Application/Control Number: 10/733,117

Art Unit: 2834

If attempts to reach the examiner by telephone are unsuccessful, the examiner 's supervisor, Darren Schuberg, can be reached on (571) 272-2044. The fax phone numbers for the organization where this application or proceeding is assigned are (571) 273-8300 for regular communications and (571) 273-8300 for After Final communications.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is (703) 308-1782.

HNN

November 26, 2005

DAPAEN SCHUBERG
SUPERVISORY PAZENT EXAMINER
TECHNOLOGY CENTER 2800

Page 3